

**IN THE CLAIMS**

Please amend the claims as follows:

---

- Cl
1. (Original) A method of enhancing a production recipe, comprising:  
annotating one or more actions in the production recipe with a desired intention for the action.
  2. (Original) The method of claim 1 further comprising annotating the one or more actions with a desired state for the action.
  3. (Original) A computerized method of generating a production recipe, the method comprising:  
receiving knowledge from one or more sources; and  
generating through computer automated operations a recipe comprising a set of actions and the purpose of the underlying process.
  4. (Original) The computerized method of claim 3 further comprising modifying the recipe.
  5. (Original) The computerized method of claim 3 wherein the knowledge is received from a user.
  6. (Previously Presented) A computerized method for controlling a production process, the method comprising:  
receiving data from multiple knowledge sources;  
storing the data in a structured knowledge repository; and  
modifying a recipe for a batch processing situation using the data stored in the knowledge repository, wherein the recipe contains steps and purposes.
  7. (Original) The computerized method of claim 6 wherein modifying the recipe further comprises using inputs from a user.
  8. (Canceled)

9. (Previously Presented) A computerized system comprising:  
a Knowledge Builder to derive from multiple knowledge sources;  
a Structured Knowledge Repository to store and organize the knowledge, wherein the Structured Knowledge Repository organizes knowledge and provides links between specific pieces of information and the functional purposes to which the knowledge can be put; and  
a Decision Maker to use the knowledge stored in the structured knowledge repository to identify one or more modifications of recipe steps.
10. (Original) The computerized system of claim 9 wherein the recipe is for a batch process.
11. (Previously Presented) The computerized system of claim 9 wherein the Knowledge Builder is to extract knowledge from multiple sources through one or more Machine Learning techniques.
12. (Previously Presented) The computerized system of claim 11 wherein the different Machine Learning techniques act independently from each other.
13. (Original) The computerized system of claim 12 wherein knowledge builder is scalable by adding additional the Machine Learning techniques.
14. (Original) The computerized system of claim 11 wherein the machine learning techniques are selected from the group consisting of: explanation-based learning, memory based learning, situation-dependent learning.
15. (Previously Presented) The computerized system of claim 9 wherein the Knowledge Builder is to receive feedback from a user.
16. (Original) The computerized system of claim 9 wherein the knowledge builder is scalable to incorporate new knowledge.
17. (Original) The computerized system of claim 9 wherein the knowledge builder is scalable to incorporate new knowledge extraction techniques.
18. (Original) The computerized system of claim 9 wherein the structured knowledge repository uses abstraction-decomposition space (ADS) techniques.

19. (Canceled)

20. (Previously Presented) The computerized system of claim 9 wherein the Decision Maker is to assemble the knowledge into an answer to a query.

21. (Original) The computerized system of claim 20 wherein the answer to the query is in the form of a recipe modification that meets desired goals and constraints.

22. (Previously Presented) The computerized system of claim 9 wherein the Decision Maker is to display knowledge to a user.

C1 23. (Original) A computer-readable medium having computer-executable instructions for a method of managing a production process, the method comprising:  
receiving one or more desired purposes for the production process;  
receiving a recipe; and  
generating an advanced recipe comprising a set of actions and the purpose of the underlying process.

24. (Previously Presented) The computer-readable medium of claim 22, wherein the method further comprises modifying the advanced recipe in response to a user.

25. (Previously Presented) A system comprising:

a Knowledge Builder to extract a number of knowledge types from a number of sources, wherein one of the number of sources is a source based on a symbolic learning approach to extract reasons for an outcome of a step of a recipe and wherein a different one of the number of sources is a source based on an empirical approach to extract results based on what happened from a step of a recipe;

a Structured Knowledge Repository to organize and store the number of knowledge types from the number of sources in a scaffolding structure, wherein an abstraction-decomposition technique is used to organize the number of knowledge types based on an analysis of a physical domain in which the steps of the recipe are executed and how functional purposes are to be achieved within constraints provided by the physical domain; and

a Decision Maker to use the knowledge stored in the structured knowledge repository to identify one or more modifications of steps of the recipe.

26. (Previously Presented) The system of claim 25, wherein the symbolic learning approach includes an explanation-based learning approach.

27. (Previously Presented) The system of claim 25, wherein the empirical approach includes a memory based learning approach.

28. (Previously Presented) The system of claim 25, wherein the number of sources are independent of each other.

29. (Currently amended) A method comprising:

extracting a number of knowledge types from a number of sources, wherein one of the number of sources is a source based on a symbolic learning approach to extract reasons for an outcome of a step of a recipe and wherein a different one of the number of sources is a source based on an empirical approach to extract results based on what happened from a step of a recipe;

storing the number of knowledge types from the number of sources in a scaffolding structure, wherein an abstraction-decomposition technique is used to organize the number of knowledge types based on an analysis of a physical domain in which the steps of the recipe are executed and how functional purposes are to be achieved within constraints provided by the physical domain; and

identifying one or more modifications of the steps of the recipe based on the knowledge types; and

modifying at least one of the steps of the recipe based on the identifying of the one or more modifications.

30. (Previously Presented) The method of claim 29, wherein the symbolic learning approach includes an explanation-based learning approach.

31. (Previously Presented) The method of claim 29, wherein the empirical approach includes a memory based learning approach.

32. (Previously Presented) The method of claim 29, wherein the number of sources are independent of each other.

33. (Previously Presented) A computer-readable medium having computer-executable instructions for a method comprising:

C1        extracting a number of knowledge types from a number of sources, wherein one of the number of sources is a source based on a symbolic learning approach to extract reasons for an outcome of a step of a recipe and wherein a different one of the number of sources is a source based on an empirical approach to extract results based on what happened from a step of a recipe;

             storing the number of knowledge types from the number of sources in a scaffolding structure, wherein an abstraction-decomposition technique is used to organize the number of knowledge types based on an analysis of a physical domain in which the steps of the recipe are executed and how functional purposes are to be achieved within constraints provided by the physical domain; and

             identifying one or more modifications of the steps of the recipe based on the knowledge types.

34. (Previously Presented) The computer-readable medium of claim 33, wherein the symbolic learning approach includes an explanation-based learning approach.

35. (Previously Presented) The computer-readable medium of claim 33, wherein the empirical approach includes a memory based learning approach.

36. (Previously Presented) The computer-readable medium of claim 33, wherein the number of sources are independent of each other.

---